	Technical Data Sheet				
Use in	 Pharmaceutical Industry For industrial, laboratory & research applications only Basic medium according to EP 2.6.12, 2.6.13 and USP <61>, <62> 				
Use for	 Detection of aerobic and anaerobic micro-organisms Passive as well as active air monitoring Isolation and growth of fastidious bacteria, yeasts and moulds Recommended for use in microbial laboratories and cleanroom classes C and D 				
Typical composition per liter	Casein peptone 15 g Soy peptone 5 g NaCl 5 g Agar 15 g This medium can be adjusted / or supplemented according to the performance criteria required.				
Irradiation	Not irradiated				
Filling volume	• 28-32 mL				
Packaging	 Single bagged, staples of 10 plates Transparent High barrier foil against desiccation 6 staples of 10 plates per packaging unit Temperature isolated handle-bag in the cardboard-boxes 				
Plates per box	60 plates (6 staples with 10 plates each)				
Shelf life	12 months from production date				
Storage conditions	 Recommended storage temperature: 15-25 °C Should be stored at temperatures as stable as possible Store protected from light exposure Before use: it is recommended to keep the plates upright (agar on the lower part, lid on the upper part) to avoid formation of extra condensation After use: it is recommended to keep the plates upside down (agar on the upper part, lid on the lower part) to reduce the risk of accumulation of condensation during incubation which can affect colony formation 				
Label	On the side, at the bottom				
Label information	 Product name: TSA Expiry date: YYYYMMMDD → MMM in letters (e.g.: 2023Nov04) Lot-number Individual number Barcode 				



	Technical Data Sheet			
Barcode	 2-dimensional (data matrix), 20 digits: Digits 1-3: ArtNo. Digits 4-9: Lot-Number Digits 10-14: Individual-Number Digits 15-20: Date (YYMMDD) 			
Delivery	 Temperature controlled delivery on request For shipments of larger amounts plastic pallets in Euro-size are used 			
Petri dish	 Locking lid 90 mm plate, made from polystyrene Long incubations possible – due to high filling volume Long expositions possible – due to specific design of plate Incubations in vent and closed position possible 			
Lid positions	 All plates are delivered in the non-locked position The plate contains 2 locked positions. If turning the lid clockwise the locked positions are in the following order: 1. Vent position 2. Closed position 			
Aerobic incubation	 The closed position provides ideal incubation conditions for aerobic microorganisms and limits the dehydration of the agar during incubation For long incubation of aerobic microorganisms, the closed position is recommended To lock the lid in the closed position turn the lid clockwise into the final stop position 			
Anaerobic incubation	 The vent position is ideal for anaerobic incubations, as it allows an easy and effective removal of oxygen under anaerobic incubation conditions Incubate in anaerobic incubator, anaerobic jar or suitable equipment First option: Turn the lid clockwise into the final stop position Turn the lid one click counter-clock-wise to the vent position Second option: Turn the lid clockwise directly into the first locked position 			
Place of production	PharmaMedia Dr. Müller GmbH Gustav-Throm-Str. 1, 69181 Leimen - Germany			



	Quality control, Certificates					
	Each lot of product can be obtained with a certificate of analysis (CoA):					
Certificates	Physico-chemical Appearance pH value Filling volume Growth Promotion S. aureus E. coli P. paraeruginosa B. spizienii C. albicans A. brasiliensis	Clear, yellowis 7.1 – 7.5 28 – 32 mL	h	1 day 1 day 1 day 1 day 3-5 days 3-5 days	50-200% 50-200% 50-200% 50-200% 50-200% Conform	
Certificate of origin	All media lots produced by PMM can be obtained with a Certificate of Origin (CoO). All animal derived raw materials are specified as follows: Raw material Tissue Animal source Country of origin Infectivity category (acc. to TSE guideline: EMA/410/01 current version)					1
BSE policy	 In compliance with the current note for guidance on minimizing the risk of transmitting animal spongiform encephalopathy via human or veterinary medicinal products, we check the CoO of raw material in respect to the specified animal source, the country of origin and the infectivity category. We neither store or process ruminant raw materials obtained from high infectivity tissues (IA) nor ruminant raw materials whose animal source originates from countries or regions with an undetermined risk (cat C/GBR IV). 					
Temperature stress	 Art. 410.0060 has been exposed to temperature stress conditions (3 days at 2-8 °C as well as 3 days at 30-35 °C) and has passed shelf-life testing at least 30 days after assigned expiry date. Shelf-life testing comprises all regular tests which are part of the normal release test of this article except for sterility control (see CoA). 					ng all



	Safety Data	
Toxic ingredients	• None	
Basic composition	See typical composition	
Solvent content	• None	
Safety data sheet required	Not mandatorily required	