FTM clear 100 mL

| | Technical Data Sheet | | | |
|-------------------------------|---|--|--|--|
| Use in | Pharmaceutical industry For industrial, laboratory & research applications only Basic medium according to EP 2.6.1 and USP <71> | | | |
| Use for | Sterility test Identification and growth of fastidious anaerobic micro-organisms as well as aerobic micro-organisms | | | |
| Typical composition per liter | Casein peptone 15 g Glucose-D(+) x H ₂ O 5.5 g Yeast extract 5 g Na-thioglycolate 0.5 g NaCl 2.5 g Resazurine 1 mg Agar/gel agent 0.35 g L-Cysteine HCl 0.5 g This medium can be adjusted / or supplemented according to the performance criteria required. | | | |
| Filling volume | • 100 mL | | | |
| Bottle format | 100 mL infusion bottle with flip cap Opening acc. ISO 8536-1 (outside 32 mm / inside 20 mm) Colour of flip cap: red Colour of aluminium cap: red | | | |
| Bottles per tray | 20 bottles on a plastic tray wrapped with shrink foil | | | |
| Shelf life | 12 months from production date | | | |
| Storage conditions | Recommended storage temperature: 2 – 25 °C Should be stored at temperatures as stable as possible Store protected from light exposure | | | |
| Label | On the side Contain autoclave indicator | | | |
| Label information | Product name: FTM clear 100 mL Expiry date: YYYYMMMDD → MMM in letters (e.g.: 2023Nov04) Lot-number Individual number Barcode | | | |
| Barcode | 2-dimensional (data matrix), 20 digits: Digits 1-3: ArtNo. Digits 4-9: Lot-Number Digits 10-14: Individual-Number Digits 15-20: Date (YYMMDD) | | | |
| Delivery | Temperature controlled delivery on request For shipments of larger amounts plastic pallets in Euro-size can be used | | | |



FTM clear 100 mL

| | Technical Data Sheet | |
|---------------------|---|--|
| Bottle information | Label contains autoclaving indicator (brown → green) Bottles are incubated at 25 – 35 °C for at least 48 hours after autoclaving and then packed Bottles are not touched any more by hand after autoclaving | |
| Resazurin | Resazurin is an indicator for anaerobic conditions. The indicator colourless under anaerobic condition and turns into pink colour und aerobic conditions. Due to the composition of the medium 2 relative stable zones can be clearly separated: 1. an aerobic, pink zone on the top 2. an anaerobic, yellowish zone on the bottom. Acc. to EP/USP not more than the upper third of the medium should pink coloured. If a larger zone of the medium shows pink colour, to medium can be restored once, by heating for a period not longer the 20 minutes. To avoid excess pressure the bottle should be vented with aeration cannula during heating as well as cooling down phase | |
| Place of production | PharmaMedia Dr. Müller GmbH Gustav-Throm-Str. 1, 69181 Leimen - Germany | |

| | Quality control, Certificates | | | | |
|--|---|---|---|---|---|
| Certificates | Physico-chemica Appearance pH value Filling volume Growth Promotion S.aureus P.paraeruginosa C.sporogenes C.sporogenes Sterility control ≥ 14 days at 30-3 | Al test paramet Clear, slightly 6.9 – 7.3 98 – 104 mL On test: 10-100 ATCC 6538 ATCC 9027 ATCC 11437 ATCC 19404 | ers: yellowish, per CFU 30-35 °C 30-35 °C 30-35 °C | otentially wi ≤ 3 days ≤ 3 days ≤ 3 days ≤ 3 days | th pink zone Good growth Good growth Good growth Good growth |
| Release of negative pressure in media bottles | During the autoclaving process, chemical reactions inside the bottles may result in a slight vacuum. Please assure that the vacuum is released without contaminating the bottle. Ideally, the vacuum is released by puncturing the septum with an aeration needle equipped with a sterile filter prior to opening a bottle. | | | | |



FTM clear 100 mL

| | Quality control, Certificates | | |
|-----------------------|---|--|--|
| Certificate of origin | All media lots produced by PMM can be obtained with a Certificate of Origin (CoO). All animal derived raw materials are specified as follows: Raw material Tissue Animal source Country of origin Infectivity category (acc. to TSE guideline: EMA/410/01 current version) | | |
| BSE policy | In compliance with the current note for guidance on minimizing the risk of transmitting animal spongiform encephalopathy via human or veterinary medicinal products, we check the CoO of raw material in respect to the specified animal source, the country of origin and the infectivity category. We neither store or process ruminant raw materials obtained from high infectivity tissues (IA) nor ruminant raw materials whose animal source originates from countries or regions with an undetermined risk (cat C/GBR IV). | | |
| Temperature stress | Art. 528.S100 has been exposed to temperature stress conditions (3 days at 2-8 °C as well as 3 days at 30-35 °C) and has passed shelf-life testing at least 30 days after the assigned expiry date. Shelf-life testing comprises all regular tests which are part of the normal release test of this article except for sterility control (see CoA). | | |

| | Safety Data | |
|----------------------------|--------------------------|--|
| Toxic ingredients | • None | |
| Basic composition | See typical composition | |
| Solvent content | • None | |
| Safety data sheet required | Not mandatorily required | |