	Technical Data Sheet				
Use in	 Pharmaceutical Industry For industrial, laboratory & research applications only Basic medium according to EP 2.6.13 and USP <62> 				
	 Examination of non-sterile products Test for specified micro-organisms Test for Staphylococcus aureus 				
Use for	Application: Typically, 10 g of product are diluted in NaCl-Peptone Buffer (NPB, e.g., artNo. 571.B090). The amount corresponding to 1 g of product is transferred to TSB (e.g., art-No. 500.B100) and incubated at 30-35 °C for 18-24 h. An aliquot is subcultured on Mannitol Salt Agar and incubated at 30-35 °C for 18-72 h. Colonies surrounded by a yellow/white zone indicate the presence of <i>S. aureus</i> . In case such colonies are detected an identification test needs to prove the presence/absence of <i>S. aureus</i> .				
Typical composition per liter	Pancreatic digest of casein 5 g Pept. digest of animal tissue 5 g Beef extract 1 g NaCl 75 g Mannitol 10 g Phenol Red 25 mg Agar 15 g				
	This medium can be adjusted / or supplemented according to the performance criteria required.				
Irradiation	Not irradiated				
Filling volume	• 23-26 mL				
Packaging	 Single bagged, staples of 10 plates Transparent High barrier foil against desiccation 6 staples of 10 plates per packaging unit Temperature isolated handle-bag in the cardboard-boxes 				
Plates per box	60 plates (6 staples with 10 plates each)				
Shelf life	8 months from production date				
	 Recommended storage temperature: 15-25 °C Should be stored at temperatures as stable as possible Store protected from light exposure 				
Storage conditions	 Before use: it is recommended to keep the plates upright (agar on the lower part, lid on the upper part) to avoid formation of extra condensation After use: it is recommended to keep the plates upside down (agar on the upper part, lid on the lower part) to reduce the risk of accumulation of condensation during incubation which can affect colony formation 				
Label	On the side, at the bottom				



	Technical Data Sheet				
Label information	 Product name: MSA Expiry date: YYYYMMMDD → MMM in letters (e.g.: 2023Nov04) Lot-number Individual number Barcode 				
Barcode	 2-dimensional (data matrix), 20 digits: Digits 1-3: ArtNo. Digits 4-9: Lot-Number Digits 10-14: Individual-Number Digits 15-20: Date (YYMMDD) 				
Delivery	 Temperature controlled delivery on request For shipments of larger amounts plastic pallets in Euro-size can be used 				
Petri dish	 Locking lid 90 mm plate, made from polystyrene Long incubations possible – due to high filling volume Long expositions possible – due to specific design of plate Incubations in vent and closed position possible 				
Lid positions	 All plates are delivered in the non-locked position The plate contains 2 locked positions. If turning the lid clockwise the locked positions are in the following order: 1. Vent position 2. Closed position 				
Aerobic incubation	 The closed position provides ideal incubation conditions for aerobic microorganisms and limits the dehydration of the agar during incubation For long incubation of aerobic microorganisms, the closed position is recommended To lock the lid in the closed position turn the lid clockwise into the final stop position 				
Place of production	PharmaMedia Dr. Müller GmbH Gustav-Throm-Str. 1, 69181 Leimen - Germany				



	Quality control, Certificates						
	Each lot of product can be obtained with a certificate of analysis (CoA):				:		
		cal test paramet					
	Appearance pH value	Clear, slightly re	eaaisn				
	Filling volume	23 – 26 mL					
	Tilling volume	20 - 20 IIIL					
	Growth Promot	tion test: 10-100	CFU*				
	S. aureus	ATCC 6538	30-35 °C	16-18 h	50-200%		
	Inhibition test:		00.05.00	70.701	N		
Certificates	E. coli	ATCC 8739	30-35 °C	72-76 h	No growth		
	Indicative prop	erties: 10-100 C	FII				
	S. aureus	ATCC 6538	30-35 °C	18-24 h			
		ellow color of med					
	<u> </u>						
	Sterility contro				Conform		
		55 0 0 40 1105					
	* According to EP 2.6.13 USP<62>, no quantitative test (determination of recovery rate against a non-selective reference) is required – only the						
	,	0		,		,	
qualitative comparison with a previous approved However, during quality control at PMM recovery rat							
	in reference to a previously released batch of the product.						
	All modia lota	nraduand by DM	Maan ha abi	cinad with	a Cartificata	·t	
		produced by PMI All animal derive					
	Raw material	All allillal delive	a raw matem	ais aic spe	cilied as lollo	N3.	
Certificate of	Tissue						
origin	Animal source						
	 Country of original 						
	, ,	•					
	Infectivity category (acc. to TSE guideline: EMA/410/01 current vers						
	In compliance with the current note for guidance on minimizing the risk of						
	transmitting animal spongiform encephalopathy via human or veterinary						
	medicinal products, we check the CoO of raw material in respect to the specified animal source, the country of origin and the infectivity category.						
BSE policy	We neither store or process ruminant raw materials obtained from high						
	infectivity tissues (IA) nor ruminant raw materials whose animal source						
	originates from countries or regions with an undetermined risk (cat C/GBR						
	IV).						
	• Art 455 0060 l	has been expose	d to tempera	ature stress	conditions (3	davs	
-		ell as 3 days at 3					
Temperature stress		ays after the prod					
	regular tests which are part of the normal release test of this article except						
	for sterility con	trol (see CoA).					



	Safety Data		
Toxic ingredients	• None		
Basic composition	See typical composition		
Solvent content	• None		
Safety data sheet required	Not mandatorily required		