

Technical Data Sheet																	
Use in	<ul style="list-style-type: none"> Pharmaceutical Industry For industrial, laboratory & research applications only Basic medium according to Ph. Eur. 2.6.13 and USP <62> 																
Use for	<ul style="list-style-type: none"> Examination of non-sterile products Test for specified micro-organisms Test for <i>Staphylococcus aureus</i> <p>Application: Typically, 10 g of product are diluted in NaCl-Peptone Buffer (NPB, e.g., art.-No. 571.B090). The amount corresponding to 1 g of product is transferred to TSB (e.g., art.-No. 500.B100) and incubated at 30-35 °C for 18-24 h. An aliquot is subcultured on Mannitol Salt Agar and incubated at 30-35 °C for 18-72 h. Colonies surrounded by a yellow/white zone indicate the presence of <i>S. aureus</i>. In case such colonies are detected an identification test needs to prove the presence/absence of <i>S. aureus</i>.</p>																
Typical composition per liter	<table> <tbody> <tr> <td>Pancreatic digest of casein</td> <td>5 g</td> <td>Pept. digest of animal tissue</td> <td>5 g</td> </tr> <tr> <td>Beef extract</td> <td>1 g</td> <td>NaCl</td> <td>75 g</td> </tr> <tr> <td>Mannitol</td> <td>10 g</td> <td>Phenol Red</td> <td>25 mg</td> </tr> <tr> <td>Agar</td> <td>15 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>This medium can be adjusted / or supplemented according to the performance criteria required.</p>	Pancreatic digest of casein	5 g	Pept. digest of animal tissue	5 g	Beef extract	1 g	NaCl	75 g	Mannitol	10 g	Phenol Red	25 mg	Agar	15 g		
Pancreatic digest of casein	5 g	Pept. digest of animal tissue	5 g														
Beef extract	1 g	NaCl	75 g														
Mannitol	10 g	Phenol Red	25 mg														
Agar	15 g																
Irradiation	<ul style="list-style-type: none"> Not irradiated 																
Filling volume	<ul style="list-style-type: none"> 23-26 mL 																
Packaging	<ul style="list-style-type: none"> Single bagged, staples of 10 plates Transparent High barrier foil against desiccation 6 staples of 10 plates per packaging unit Temperature isolated handle-bag in the cardboard-boxes 																
Plates per box	<ul style="list-style-type: none"> 60 plates (6 staples with 10 plates each) 																
Shelf life	<ul style="list-style-type: none"> 8 months from production date 																
Storage conditions	<ul style="list-style-type: none"> Recommended storage temperature: 15-25 °C Should be stored at temperatures as stable as possible Store protected from light exposure Before use: it is recommended to keep the plates upright (agar on the lower part, lid on the upper part) to avoid formation of extra condensation After use: it is recommended to keep the plates upside down (agar on the upper part, lid on the lower part) to reduce the risk of accumulation of condensation during incubation which can affect colony formation 																
Label	<ul style="list-style-type: none"> On the side, at the bottom 																

Technical Data Sheet	
Label information	<ul style="list-style-type: none"> • Product name: MSA • Expiry date: YYYYMMDD → MMM in letters (e.g.: 2026Nov04) • Lot-number • Individual number • Barcode
Barcode	<ul style="list-style-type: none"> • 2-dimensional (data matrix), 20 digits: • Digits 1-3: Art.-No. • Digits 4-9: Lot-Number • Digits 10-14: Individual-Number • Digits 15-20: Date (YYMMDD)
Delivery	<ul style="list-style-type: none"> • Temperature controlled delivery on request • For shipments of larger amounts plastic pallets in Euro-size can be used
Petri dish	<ul style="list-style-type: none"> • Locking lid 90 mm plate, made from polystyrene • Long incubations possible – due to high filling volume • Long expositions possible – due to specific design of plate • Incubations in vent and closed position possible
Lid positions	<ul style="list-style-type: none"> • All plates are delivered in the non-locked position • The plate contains 2 locked positions. If turning the lid clockwise the locked positions are in the following order: <ol style="list-style-type: none"> 1. Vent position 2. Closed position
Aerobic incubation	<ul style="list-style-type: none"> • The closed position provides ideal incubation conditions for aerobic microorganisms and limits the dehydration of the agar during incubation • For long incubation of aerobic microorganisms, the closed position is recommended • To lock the lid in the closed position, turn the lid clockwise into the final stop position
Production	<ul style="list-style-type: none"> • Production of selective media is made at the beginning of every quarter. To get the longest shelf life possible, we do recommend placing orders <u>for delivery</u> during this period.
Place of production	PharmaMedia Dr. Müller GmbH Gustav-Throm-Str. 1, 69181 Leimen - Germany

Quality control, Certificates																																																																																	
Certificates	<p>Each lot of product can be obtained with a certificate of analysis (CoA):</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5" style="text-align: left;">Physico-chemical test parameters:</th> </tr> </thead> <tbody> <tr> <td style="width: 25%;">Appearance</td> <td colspan="4">Clear, slightly reddish</td> </tr> <tr> <td>pH value</td> <td colspan="4">7.2 – 7.6</td> </tr> <tr> <td>Filling volume</td> <td colspan="4">23 – 26 mL</td> </tr> <tr> <td colspan="5"> </td> </tr> <tr> <th colspan="5" style="text-align: left;">Growth Promotion test: 10-100 CFU*</th> </tr> <tr> <td><i>S. aureus</i></td> <td>ATCC 6538</td> <td>30-35 °C</td> <td>16-18 h</td> <td>50-200%</td> </tr> <tr> <td colspan="5"> </td> </tr> <tr> <th colspan="5" style="text-align: left;">Inhibition test: 100-1,000 CFU</th> </tr> <tr> <td><i>E. coli</i></td> <td>ATCC 8739</td> <td>30-35 °C</td> <td>72-76 h</td> <td>No growth</td> </tr> <tr> <td colspan="5"> </td> </tr> <tr> <th colspan="5" style="text-align: left;">Indicative properties: 10-100 CFU</th> </tr> <tr> <td><i>S. aureus</i></td> <td>ATCC 6538</td> <td>30-35 °C</td> <td>18-24 h</td> <td></td> </tr> <tr> <td colspan="5">Good growth, yellow color of medium around colonies</td> </tr> <tr> <td colspan="5"> </td> </tr> <tr> <th colspan="4" style="text-align: left;">Sterility control</th> <td>Conform</td> </tr> </tbody> </table> <p>* According to Ph. Eur. 2.6.13 USP<62>, no quantitative test (determination of recovery rate against a non-selective reference) is required – only the qualitative comparison with a previous approved batch is requested. However, during quality control at PMM recovery rate data are determined in reference to a previously released batch of the product.</p>	Physico-chemical test parameters:					Appearance	Clear, slightly reddish				pH value	7.2 – 7.6				Filling volume	23 – 26 mL									Growth Promotion test: 10-100 CFU*					<i>S. aureus</i>	ATCC 6538	30-35 °C	16-18 h	50-200%						Inhibition test: 100-1,000 CFU					<i>E. coli</i>	ATCC 8739	30-35 °C	72-76 h	No growth						Indicative properties: 10-100 CFU					<i>S. aureus</i>	ATCC 6538	30-35 °C	18-24 h		Good growth, yellow color of medium around colonies										Sterility control				Conform
Physico-chemical test parameters:																																																																																	
Appearance	Clear, slightly reddish																																																																																
pH value	7.2 – 7.6																																																																																
Filling volume	23 – 26 mL																																																																																
Growth Promotion test: 10-100 CFU*																																																																																	
<i>S. aureus</i>	ATCC 6538	30-35 °C	16-18 h	50-200%																																																																													
Inhibition test: 100-1,000 CFU																																																																																	
<i>E. coli</i>	ATCC 8739	30-35 °C	72-76 h	No growth																																																																													
Indicative properties: 10-100 CFU																																																																																	
<i>S. aureus</i>	ATCC 6538	30-35 °C	18-24 h																																																																														
Good growth, yellow color of medium around colonies																																																																																	
Sterility control				Conform																																																																													
Certificate of origin	<p>All media lots produced by PMM can be obtained with a Certificate of Origin (CoO). All animal derived raw materials are specified as follows:</p> <ul style="list-style-type: none"> • Raw material • Tissue • Animal source • Country of origin <p>Infectivity category (acc. to TSE guideline: EMA/410/01 current version)</p>																																																																																
BSE policy	<ul style="list-style-type: none"> • In compliance with the current note for guidance on minimizing the risk of transmitting animal spongiform encephalopathy via human or veterinary medicinal products, we check the CoO of raw material in respect to the specified animal source, the country of origin and the infectivity category. We neither store or process ruminant raw materials obtained from high infectivity tissues (IA) nor ruminant raw materials whose animal source originates from countries or regions with an undetermined risk (cat C/GBR IV). 																																																																																
Temperature stress	<ul style="list-style-type: none"> • Art. 455.0060 has been exposed to temperature stress conditions (3 days at 2-8 °C as well as 3 days at 30-35 °C) and has passed shelf-life testing at least 210 days after the production date. Shelf-life testing comprises all regular tests which are part of the normal release test of this article except for sterility control (see CoA). 																																																																																

	Safety Data
Toxic ingredients	<ul style="list-style-type: none">• None
Basic composition	<ul style="list-style-type: none">• See typical composition
Solvent content	<ul style="list-style-type: none">• None
Safety data sheet required	<ul style="list-style-type: none">• Not mandatorily required