	Technical Data Sheet
Use in	<ul> <li>Pharmaceutical Industry</li> <li>For industrial, laboratory &amp; research applications only</li> <li>Basic medium according to EP 2.6.13 and USP &lt;62&gt;</li> </ul>
Use for	<ul> <li>Examination of non-sterile products</li> <li>Test for specified micro-organisms</li> <li>Test for Escherichia coli</li> <li>Application:         <ul> <li>Typically, 10 g of product are diluted in NaCl-Peptone Buffer (NPB, e.g., artNo. 571.B090). The amount corresponding to 1g of product is transferred to TSB (e.g., art-No. 500.B100) and incubated at 30-35 °C for 18-24 h. Transfer 1 mL to MacConkey Broth (e.g., ArtNo. 581.B100) and incubate at 42-44 °C for 24-48 h. An aliquot is subcultured on MacConkey Agar and incubated at 30-35 °C for 18-72 h. Growth of colonies indicate the presence of E. coli. In case colonies are detected an identification test needs to prove the presence/absence of E. coli.</li> </ul> </li> </ul>
Typical composition per liter	Peptones (meat and casein) 3 g Neutral red 30 mg Lactose monohydrate 10 g NaCl 5 g Bile salts 1.5 g Crystal violet 1 mg Pancreatic digest of gelatine 17 g Agar 13.5 g  This medium can be adjusted / or supplemented according to the performance criteria required.
Irradiation	Not irradiated
Filling volume	• 23-26 mL
Packaging	<ul> <li>Single bagged, staples of 10 plates</li> <li>Transparent</li> <li>High barrier foil against desiccation</li> <li>6 staples of 10 plates per packaging unit</li> <li>Temperature isolated handle-bag in the cardboard-boxes</li> </ul>
Plates per box	60 plates (6 staples with 10 plates each)
Shelf life	8 months from production date
Storage conditions	<ul> <li>Recommended storage temperature: 15-25 °C</li> <li>Should be stored at temperatures as stable as possible</li> <li>Store protected from light exposure</li> <li>Before use: it is recommended to keep the plates upright (agar on the lower part, lid on the upper part) to avoid formation of extra condensation</li> <li>After use: it is recommended to keep the plates upside down (agar on the upper part, lid on the lower part) to reduce the risk of accumulation of condensation during incubation which can affect colony formation</li> </ul>



	Technical Data Sheet
Label	On the side, at the bottom
Label information	<ul> <li>Product name: MacConkey</li> <li>Expiry date: YYYYMMMDD → MMM in letters (e.g.: 2023Nov04)</li> <li>Lot-number</li> <li>Individual number</li> <li>Barcode</li> </ul>
Barcode	<ul> <li>2-dimensional (data matrix), 20 digits:</li> <li>Digits 1-3: ArtNo.</li> <li>Digits 4-9: Lot-Number</li> <li>Digits 10-14: Individual-Number</li> <li>Digits 15-20: Date (YYMMDD)</li> </ul>
Delivery	<ul> <li>Temperature controlled delivery on request</li> <li>For shipments of larger amounts plastic pallets in Euro-size can be used</li> </ul>
Petri dish	<ul> <li>Locking lid 90 mm plate, made from polystyrene</li> <li>Long incubations possible – due to high filling volume</li> <li>Long expositions possible – due to specific design of plate</li> <li>Incubations in vent and closed position possible</li> </ul>
Lid positions	<ul> <li>All plates are delivered in the non-locked position</li> <li>The plate contains 2 locked positions. If turning the lid clockwise the locked positions are in the following order:</li> <li>1. Vent position</li> <li>2. Closed position</li> </ul>
Aerobic incubation	<ul> <li>The closed position provides ideal incubation conditions for aerobic microorganisms and limits the dehydration of the agar during incubation</li> <li>For long incubation of aerobic microorganisms, the closed position is recommended</li> <li>To lock the lid in the closed position turn the lid clockwise into the final stop position</li> </ul>
Place of production	PharmaMedia Dr. Müller GmbH Gustav-Throm-Str. 1, 69181 Leimen - Germany



	Quality control, Certificates
	Each lot of product can be obtained with a certificate of analysis (CoA):
Certificates	Physico-chemical test parameters:  Appearance Clear, reddish-brown pH value 6.9 – 7.3 Filling volume 23 – 26 mL  Growth Promotion test: 10-100 CFU*  E. coli ATCC 8739 30-35 °C 16-18 h 50-200%  Inhibition test: 10,000-100,000 CFU S. aureus ATCC 6538 30-35 °C 72-76 h No growth  Indicative properties: 10-100 CFU  E. coli ATCC 8739 30-35 °C 18-24 h  Good growth, reddish colonies with precipitation zones
	*According to EP 2.6.13 USP<62>, no quantitative test (determination of recovery rate against a non-selective reference) is required — only the qualitative comparison with a previous approved batch is requested. However, during quality control at PMM recovery rate data are determined in reference to a previously released batch of the product.
BSE policy	<ul> <li>In compliance with the current note for guidance on minimizing the risk of transmitting animal spongiform encephalopathy via human or veterinary medicinal products, we check the CoO of raw material in respect to the specified animal source, the country of origin and the infectivity category. We neither store or process ruminant raw materials obtained from high infectivity tissues (IA) nor ruminant raw materials whose animal source originates from countries or regions with an undetermined risk (cat C/GBR IV).</li> </ul>
Temperature stress	<ul> <li>Art. 460.0060 has been exposed to temperature stress conditions (3 days at 2-8 °C as well as 3 days at 30-35 °C) and has passed shelf-life testing at least 210 days after the production date. Shelf-life testing comprise all regular tests which are part of the normal release test of this article except for sterility control (see CoA).</li> </ul>



	Safety Data
Toxic ingredients	• None
Basic composition	See typical composition
Solvent content	• None
Safety data sheet required	Not mandatorily required