Technical Data Sheet – Item No. 465.0060

VRBD 90mm CS

Version 12
Effective date: 09-11-2026

	Technical Data
Use in	• Pharmaceutical Industry • For industrial, laboratory & research applications only
Use for	• Examination of non-sterile products • Test for specified micro-organisms • Test for Bile Tolerant Gram-negative bacteria **Application:** Typically, 10 g of product are diluted in 90 mL Tryptic Soy Broth (TSB, e.g., art.-no. 501.B090), mixed and incubated at 20-25 °C for 2-5 h. The amount corresponding to 1 g of product is transferred to Mossel Broth and incubated at 30-35 °C for 24-48 h. An aliquot is subcultured on **VRBD Agar** and incubated at 30-35 °C for 18-24 h. Growth of colonies indicate the presence of Bile Tolerant Gram-Negative Bacteria.
Typical composition per liter	Basic medium according to Ph. Eur. 2.6.13 and USP <62> Yeast extract 3 g; Bile salts 1.5 g Pancreatic digest of casein 7 g; Neutral red 30 mg Glucose monohydrate 10 g; Crystal Violet 2 mg NaCl 5 g; Agar 15 g This medium can be adjusted and/or supplemented according to the performance criteria required.
Irradiation	• Not irradiated
Filling volume	• 23 – 26 mL
Packaging	• Single bagged, staples of 10 plates • Transparent • High barrier foil against desiccation • 6 staples of 10 plates per packaging unit • Temperature isolated handle-bag in the cardboard-boxes
Plates per box	• 60 plates (6 staples with 10 plates each)
Shelf life	• 8 months from production date

Pharmamedia Dr. Müller GmbH | Gustav-Throm-Str.1 | 69181 Leimen | Germany
Phone: +49 (0) 6224 928070 | Email address: info@pmm-leimen.de | www.pmm-leimen.de

Technical Data Sheet – Item No. 465.0060

VRBD 90mm CS

Version 12
Effective date: 09-11-2026

	Technical Data
Storage conditions	• Recommended storage temperature: 15 – 25 °C • Should be stored at temperatures as stable as possible • Store protected from light exposure • Before use: it is recommended to keep the plates upright (agar on the lower part, lid on the upper part) to avoid formation of extra condensation • After use: it is recommended to keep the plates upside down (agar on the upper part, lid on the lower part) to reduce the risk of accumulation of condensation during incubation which can affect colony formation
Label	• On the side of the bottom part of the dish
Label information	• Product name: VRBD • Expiry date: YYYYMMMDD ➔ MMM in letters (e.g.: 2026Nov04) • Lot-number • Individual number • Barcode
Barcode	• 2-dimensional (data matrix), 20 digits: • Digits 1-3: Art.-No. • Digits 4-9: Lot-Number • Digits 10-14: Individual-Number • Digits 15-20: Date (YYMMDD)
Delivery	• Temperature controlled delivery on request • For shipments of larger amounts plastic pallets in Euro-size can be used
Petri dish	• Locking lid 90 mm plate, made from Polystyrene • Long incubations possible – due to high filling volume • Long expositions possible – due to specific design of plate • Incubations in vent and closed position possible
Lid positions	• All plates are delivered in the non-locked position • The plate contains 2 locked positions. If turning the lid clockwise the locked positions are in the following order: 1. Vent position 2. Closed position • Please check the recommendations for use on page 4
Production	• Production of selective media is made at the beginning of every quarter. To get the longest shelf life possible, we do recommend placing orders for delivery during this period.

Pharmamedia Dr. Müller GmbH | Gustav-Throm-Str.1 | 69181 Leimen | Germany
Phone: +49 (0) 6224 928070 | Email address: info@pmm-leimen.de | www.pmm-leimen.de

Technical Data Sheet – Item No. 465.0060

VRBD 90mm CS

Version 12
Effective date: 09-11-2026

	Technical Data
Place of production	PharmaMedia Dr. Müller GmbH Gustav-Throm-Str. 1, 69181 Leimen - Germany

	Quality control, Certificates
Certificates	Every batch of product can be obtained with a certificate of analysis (CoA):

Physico-chemical test parameters:				
Appearance	Clear, slightly reddish			
pH value	7.2 – 7.6			
Filling volume	23 – 26 mL			
Growth Promotion test: 10 – 100 CFU*				
E. coli	ATCC 8739	30-35 °C	16-18 h	50-200%
P. paraeruginosa	ATCC 9027	30-35 °C	16-18 h	50-200%
Inhibition test: 100 – 1,000 CFU				
S. aureus	ATCC 6538	30-35 °C	24-28 h	No growth
Indicative properties: 10 – 100 CFU				
E. coli	ATCC 8739	30-35 °C	18-24 h	
Good growth, reddish colonies with precipitation zone				
P. paraeruginosa	ATCC 9027	30-35 °C	18-24 h	
Good growth, colorless to pink colonies without precipitation zone				
Sterility control				Conform

* According to Ph. Eur. 2.6.13 and USP <62>, no quantitative test (determination of recovery rate against a non-selective reference) is required – only the qualitative comparison with a previous approved batch is requested. However, during quality control at PMM recovery rate data are determined in reference to a previously released batch of the product.

BSE policy	In compliance with the current note for guidance on minimizing the risk of transmitting animal spongiform encephalopathy via human or veterinary medicinal products, we check the CoO of raw material in respect to the specified animal source, the country of origin and the infectivity category. We neither store or process ruminant raw materials obtained from high infectivity tissues (IA) nor ruminant raw materials whose animal source originates from countries or regions with an undetermined risk (cat C/GBR IV).

Pharmamedia Dr. Müller GmbH | Gustav-Throm-Str.1 | 69181 Leimen | Germany
Phone: +49 (0) 6224 928070 | Email address: info@pmm-leimen.de | www.pmm-leimen.de

	Quality control, Certificates
Temperature stress	Art. 465.0060 has been exposed to temperature stress conditions (3 days at 2-8 °C as well as 3 days at 30-35 °C) and has passed shelf-life testing at least 210 days after production date. Shelf-life testing comprises all regular tests which are part of the normal release test of this article except for sterility control (see CoA).

	Recommendations for use
Aerobic incubation	• The closed position provides ideal incubation conditions for aerobic microorganisms • Limits the dehydration of the agar during incubation • For long incubation of aerobic microorganisms, the closed position is recommended • To lock the lid in the closed position, turn the lid clockwise into the final stop position

	Safety Data
Toxic ingredients	• None
Basic composition	• See typical composition
Solvent content	• None
Safety data sheet required	• Not mandatorily required

Pharmamedia Dr. Müller GmbH | Gustav-Throm-Str.1 | 69181 Leimen | Germany
Phone: +49 (0) 6224 928070 | Email address: info@pmm-leimen.de | www.pmm-leimen.de